

CERTIFICATE OF COMPLIANCE

Certificate Number 20160827-EX6130
Report Reference EX6130-20021001
Issue Date 2016-AUGUST-27

Issued to: BUCKEYE FIRE EQUIPMENT CO
110 KINGS RD, PO BOX 428,
KINGS MOUNTAIN NC 28086

This is to certify that representative samples of WATER-SPRAY FIRE EXTINGUISHERS, HAND AND WHEELED, EXPELLANT-GAS OPERATED, PORTABLE
Model: WM250

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: ANSI/UL 8 and ANSI/UL 711
Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20150901-EX4413
Report Reference EX4413-20101228
Issue Date 2015-SEPTEMBER-01


Issued to: BUCKEYE FIRE EQUIPMENT CO
110 KINGS RD, PO BOX 428,
KINGS MOUNTAIN NC 28086

This is to certify that representative samples of WATER EXTINGUISHERS, EXPELLANT GAS OPERATED
Model: 500, 500R

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.


Standard(s) for Safety: CAN/ULC-S507 - Water Fire Extinguishers
Additional Information: See the ULC Online Certification Directory at www.ulc.ca for additional information

Only those products bearing the ULC Listing Mark should be considered as being covered by ULC's Listing and Follow-Up Service.

The ULC Listing Mark generally includes the following elements: the symbol ULC in a circle:  with the word "LISTED"; a control number (may be alphanumeric) assigned by ULC; and the product category name (product identifier) as indicated in the appropriate ULC Directory.

To confirm the status, validate the above information via the online directory.

Look for the ULC Listing Mark on the product.



Joseph Hosey, General Manager, Director of Sales - Canada

UNDERWRITERS LABORATORIES OF CANADA INC.

Any information and documentation involving ULC Mark services are provided on behalf of Underwriters Laboratories of Canada Inc. (ULC) or any authorized licensee of ULC. For questions, please contact a local ULC Customer Service Representative at <http://ul.com/aboutul/locations/>

